

Accessory devices and components 1/3

**Standard cylinder support unit
TTYSCC000010 for cylinders
weight up to 1 ton.**




**Standard cylinder support unit
TTYSCC000020 for cylinders
weight up to 2 ton.**



**Standard cylinder support unit
TTYSCC000040 or cylinders weight up to 4 ton.**



**Single groove positioning stand.
ACSTT0000026**




**Double groove positioning stand
(one for testing and the other for dripping).
ACSTT0000027**



Accessory devices and components 2/3

Extended drip pan under rod side (B) of the cylinder.
ACSTT0000020




Cylinder locking system with pushing pneumatic cylinder.
ACSTT0000028



Cylinder locking system with pushing Hydraulic cylinder.
ACSTT0000029




Cylinder locking system with pulling hydraulic cylinder.
ACSTT0000030



Rotating couplings up to 500 bar for A and B pipes.
ACSTT0000032



Possible port connection sizes:
1/4" - 3/8" - 1/2" - 3/4" 1".
ACSTT0000033



Accessory devices and components 3/3

Platform of light type with drip pan.
ACSTT0000035



Electric proportional
single axis joystick .
ACSTT0000040




Fluid cleaning and
contamination control system.
ACSTT0000043

FLUSHING SET



Air/oil separation system.
ACSTT0000047



Filtering system for tank
fill up and topping.
ACSTT0000048



10" touch screen.
ACSTT0000090

